

VI Semester B.C.A. Examination, August/September 2023 (CBCS) (F+R) (2016-17 and Onwards) COMPUTER SCIENCE

BCA 601: Theory of Computation

Time: 3 Hours

Instruction: Answer all Sections.

LIBRARY galore

Max. Marks: 100

SECTION - A

Answer any ten questions. Each question carries two marks.

 $(10 \times 2 = 20)$

- 1. Define finite automata and write the tuple.
- 2. Define E-closure of a state.
- 3. What is trap state?
- 4. Define a R.E. for the language containing 0's and 1's ending with 001.
- 5. Mention the different types of grammar.
- 6. State Arden's theorem.
- 7. What is parsing? Name two types of parsing.
- 8. Define GNF.
- 9. State Post Correspondence Problem (PCP) of turing machine.
- 10. Define nullabe variable.
- 11. What is left recursion?
- 12. Name different types of turing machine.



SECTION - B

Answer any five questions. Each question carries 5 marks.

 $(5 \times 5 = 25)$

- 13. Design a DFA that accepts strings of a's and b's ending with ab.
- 14. Check the given grammar is ambiguous.

 $S \rightarrow 0S1S|1S0S| \in$

- 15. Design $a \in -NFA$ for the regular expression $(00^* + 1)$.
- 16. Differentiate among DFA, NFA, \in NFA.
- 17. Reduce the grammar into CNF

 $S \rightarrow aAD$

 $A \rightarrow aB|bAB$

 $B \rightarrow b$

 $D \rightarrow d$

- 18. Explain Chomsky Hierarchy of grammars.
- 19. Write down the left most, right most derivation of the given grammar for the string abbbb using the productions.

 $S \rightarrow aAB$

 $A \rightarrow bBb$

 $B \rightarrow A|\epsilon$.


20. Construct the PDA to accept the language $L(M) = \{w \subset w^R | w \in (a+b)^*\}$ where w^R is reverse of w.

SECTION - C

Answer any three questions. Each question carries 15 marks. (3×15=45)

21. Construct a DFA from the given ε-NFA.

15



22. Minimize the DFA.

15

	δ	a	b
	Α	В	Е
	В	С	F
*	С	D	Н
	D	E	Н
	Ε	F	a, La
*	F	G	В
	G	Н	В
	Н	I	С
*	ı	Α	Ε

23. a) Eliminate useless symbols from the given grammar.

7

8

 $S \rightarrow A11B | 11A$

 $S \rightarrow AB|11$

 $A \rightarrow 0$

 $B \rightarrow BB$

b) Eliminate unit productions.

 $S \rightarrow AB$

 $A \rightarrow a$

 $\mathsf{B}\to\mathsf{C}$

 $B \rightarrow b$

 $C \rightarrow D$

 $D \rightarrow E$

 $E \rightarrow a$

CB - 480

-4-

24. Construct a TM to accept the language.

 $L(M) = \{0^n \ 1^n \ | n \ge 1\}$

25. Convert the given CFG to GNF.

15

15

 $\mathsf{S}\to\mathsf{AB}$

 $A \rightarrow BSB$

 $A \rightarrow a$

 $B \rightarrow b$

SECTION - D,

Answer any one. Each carries 10 marks.

 $(1 \times 10 = 10)$

- 26. Construct a DFA which accepts even number of a's and even number of b's.
- 27. Using pumping Lemma prove that the language $L = \{a^nb^n|n \ge 0\}$ is not regular.